

# **Baypure<sup>®</sup> CX 100/34%** Water Treatment Chemicals

# Description

BAYPURE<sup>®</sup> CX 100/34% is a complexing agent for alkaline earth and heavy metal ions in detergents and cleaning agent applications, textile and paper applications, photographic applications, the ceramics industry and for trace metal nutrient fertilizers in agriculture. Effective as a scale deposit remover, water softener and bleaching agent stabilizer.

# **Chemical Composition**

34 % solution of tetrasodium Iminodisuccinate (IDS-Na<sub>4</sub>) in water

### CAS Registry Number

144538-83-0

### Appearance

clear, colorless to light yellow solution

# **Typical Properties\***

Property	Nominal Value	Unit
Active ingredient content	33.0 - 35.0	%
Ammonia assay	max. 70	mg/kg
Density at 20 °C	1.32 - 1.35	g/cm³
Hazen Color value	max. 100	#
Viscosity at 20 °C	10 - 20	mPa·s

\*The analytical data are guide values.

Page 1 of 2 Edition: 2020-10-26





# **Baypure<sup>®</sup> CX 100/34%** Water Treatment Chemicals

# Application

complexing agent for alkaline earth and heavy metal ions in detergents and cleaning agent applications, textile and paper applications

### **Storage conditions**

The product can be stored in tightly sealed original packaging without a deterioration of quality for a period of up to three years in case of appropriate storage. Material which has solidified because of low temperatures (solidifying point approx. -15 °C) can be defrosted without reduction of quality. The following materials have proved suitable for the metering tanks for BAYPURE<sup>®</sup> CX 100/34% (up to 50 °C): stainless steel 1.4401, 1.4404, 1.4571, 1.4435, AISI 316 and AISI 3162

#### Handling

Consult the safety data sheet for relevant safety data & references as well as possibly necessary warning labels.

#### R = registered trade mark

This information and our technical advice – whether verbal, in writing or by way of trials – is subject to change without notice and given in good faith but without warranty or guarantee, express or implied, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided - especially that contained in our safety data and technical information sheets - and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with the current version of our General Conditions of Sale and Delivery.

©2020 LANXESS and the LANXESS Logo are trademarks of LANXESS Deutschland GmbH or its affiliates. All trademarks are registered in many countries in the world.

North America +1.833.LANXESS customer.care@lanxess.com Europe, Middle East & Africa +44.161.875.3800 emea.export@lanxess.com South & Central America +55.19.3522.5083 atendimento.cliente@lanxess.com Asia Pacific +86.21.6109.6666 Orders.apac@lanxess.com

Page 2 of 2 Edition: 2020-10-26

